UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

1 of 6

PATENT NO.

: 7198162 B2

APPLICATION NO. : 10/608,279

ISSUE DATE

: 04/03/07

INVENTOR(S)

: FRANCOIS, JAMES A.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The Title Page, showing an illustrative figure, should be deleted and substitute therefor the attached Title Page.

Delete drawings sheets 1-4 and substitute therefor the drawing sheets, consisting of figs. 1-6 as shown on the attached page.

Col. 5, line 32, "polyvinylchloride" should be "polyvinyl chloride"



US007198162B2

(12) United States Patent

François et al.

(10) Patent No.: US 7,198,162 B2 (45) Date of Patent: Apr. 3, 2007

(54)	MOLDED CLOSURE AND APPARATUS FOR MAKING SAME					
(75)	Inventors:	James A. Francols, Evansville, IN (US); Kerry W. Dodds, Gentryville, IN (US)				
(73)	Assignee:	Rexam Medical Packaging Inc., Evansville, IN (US)				
(*)	Notice:	Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.				
(21)	Appl. No.: 10/608,279					
(22)	Filed:	Jun. 27, 2003				
(65)		Prior Publication Data				
	US 2004/0000532 A1 Jan. 1, 2004					
	Rel	ated U.S. Application Data				
(62)	Division of application No. 09/790,128, filed on Feb. 21, 2001, now Pat. No. 6,609,694.					
(51)	Int. Cl. B65D 41/04 (2006.01)					
(52)	U.S. Cl 215/329; 222/153.1					
(58)	· · · · · · · · · · · · · · · · · · ·					
(56)	References Cited					
•	U.	S. PATENT DOCUMENTS				

11/1885 Barker

2/1932 Schmalz 215/329

9/1938 Von Till215/350

330,545 A 1,844,442 A *

2,313,031	Α		3/1943	Parkhurst
3,055,526	Α	٠	9/1962	Plunkett 215/329
3,618,170	Α		11/1971	Owens
3,690,496	Α	*	9/1972	Gibson 215/217
3,734,332	Α	*	5/1973	Grulich 215/208
3,784,045	Α	•	1/1974	Komendowski 220/277
3,827,593	Α	*	8/1974	Kramb et al 215/208
4,209,485	Α		6/1980	Greenspan
4,343,754	Α		8/1982	Wilde et al.
4,564,113	Α		1/1986	Mendler
4,579,241	Α		4/1986	Hayes
4,649,013	Α		3/1987	Yamamoto et al.
4,767,587	Α		8/1988	Towns et al.
5,285,913	Α	•	2/1994	Morton 215/349
5,292,020	Α	*	3/1994	Narin 215/330
5,512,228	Α		4/1996	Adams et al.
5,820,807	Α		10/1998	Urmston
5,875,909	Α	•	3/1999	Guglielmini 215/350
6,523,720	Βl	•	2/2003	Robbins, III 222/1


* cited by examiner

Primary Examiner—Lien M. Ngo (74) Attorney, Agent, or Firm—James E. Cole; Middleton Reutlinger

(57) ABSTRACT

A molded closure having an auxiliary thread for removal of an incomplete closure from a molding cavity, the molded closure including a helical auxiliary thread projecting inwardly from a cylindrical wall portion of the closure to provide engagement between the closure and the molding core, so that the closure may be threadably removed from the molding cavity by threadably disengaging the molding core from the molding cavity after an incomplete run of the fabrication process. A molding assembly with which the auxiliary thread may be formed in a molded closure is also provided.

1 Claim, 4 Drawing Sheets







FIG. I

Apr. 3, 2007






FIG.3




FIG. 4



